

# CosMic: Detection of Cosmic Rays with microwaves

Research Program funded by the University of Salento (budget 5%)

G. Cataldi<sup>3</sup>, M. R. Coluccia<sup>1,3</sup>, F. Congedo<sup>2</sup>, L. Corchia<sup>2</sup>, A. Corvaglia<sup>3</sup>, P. Creti<sup>3</sup>, R. De Paolis<sup>2</sup>, G. Marsella<sup>2,3</sup>, M. Panareo<sup>2,3</sup>, L. Perrone<sup>2,3</sup>, C. Pinto<sup>3</sup>, V. Scherini<sup>4</sup>

<sup>1</sup> Dipartimento di Fisica Università del Salento, Italy

<sup>2</sup> Dipartimento di Ingegneria dell'Innovazione Università del Salento, Italy

<sup>3</sup> Istituto Nazionale di Fisica Nucleare sez. di Lecce, Italy

<sup>4</sup> Dipartimento di Fisica Università di Milano

## 1. Abstract and main goals

Aims of this proposal are the study and the detection of the highest energy cosmic rays ( $E_{\gamma}$   $10^{18}$  eV) by observing and measuring the electromagnetic radiation emitted in the microwave band between a few GHz and 20 GHz. The most likely hypothesis is that this radiation is due to the Bremsstrahlung emission by low energy electrons (few eV) interacting with the molecules of the atmosphere. In this hypothesis we expect the radiation to be non-polarized and isotropically emitted, as for the emission of fluorescence light from excited nitrogen molecules. The detection of isotropic radiation in the microwave frequency band would allow, similarly to what happens for the fluorescence telescopes, the direct observation of the longitudinal development of the extensive air showers, a key measurement for establishing the chemical composition and the energy spectrum of the highest energy primary cosmic rays. But, unlike the fluorescence technique, available only during the dark and moonless nights, the microwave technique would provide a nearly 100% duty cycle. Moreover the absorption in the atmosphere is negligible in this frequency range. A confirmation of the reported evidence would have a significant impact on high-energy cosmic ray physics by delivering to the scientific community a low-cost and high duty-cycle measurement technique, with comparable or even better performance compared to the fluorescence telescopes.

This proposal aims to the construction of a prototype telescope for the observation of microwave radiation emitted along the path of cosmic rays through the atmosphere. The operating schedule can be summarized in three steps:

- Phase 1: Simulation and studies of the physical process and estimate of expected signals.
- Phase 2: Construction and optimization of a prototype telescope consisting of a parabolic dish with a matrix of microwave antennas placed at its focal surface.
- Phase 3: Data acquisition and analysis of the observed signal.

## 2. Research Sectors according to the ERC scheme

PE Physical Sciences and Engineering

- PE9 Universe sciences: astro-physics/chemistry/biology; solar system; stellar, galactic and extragalactic astronomy, planetary systems, cosmology; space science, instrumentation
- PE9\_10 High energy and particles astronomy: X-rays, cosmic rays, gamma rays, neutrinos
- PE9\_17 Instrumentation: telescopes, detectors and techniques
- PE2 Fundamental constituents of matter: particle, nuclear, plasma, atomic, molecular, gas, and optical physics
- PE2\_2 Particle physics

## 3. Current Status of the project

The progress since the beginning of the project (July 2011) can be summarized as in the following:

- Study of the design of the optical system




Figure 1. Response of a 10 cm feed at 4GHz as a function of the angle to the optical axis, for a parabolic dish with focal distance and rim angle of 2 m. The feed is placed at 10 (top panel), 20 (middle panel) and 30 cm (bottom panel) from the focal point of the dish in the direction perpendicular to the optical axis.

The student edition of the simulation code GRASP9 (available at <http://www.ticra.com/free-downloads/grasp9-se/>) has been used to derive the expected response of a feed placed at the focal plane of a parabolic dish of given curvature. Fig. 1 shows the signal amplitude at 4 GHz as a function of the angle between the direction along the feed and the optical axis, assuming a dish with focal distance and rim radius of 2m. The top, middle and bottom panels refers to the case of a feed placed at 10, 20, and 30 cm from the dish focal point in the direction perpendicular to the optical axis. Simulations support a design based on an array of feeds at the focal surface to observe the longitudinal profile of an extensive air shower propagating through the atmosphere. As shown in the figure, each feed would in fact provide the image of a segment of the longitudinal profile, giving overall a complete reconstruction of both geometry and particle number evolution.

- Participation to AMY

An important contribution to this project comes from the participation to the experiment AMY approved and funded independently by INFN. It aims to derive an absolute calibration of the physical process of microwave emission and to measure the spectrum of the emitted radiation in the

frequency range between 2 and 25 GHz. This experiment is performed at the Beam Test Facility (BTF) of the Laboratori Nazionali di Frascati. The first measurement campaign has been carried out between November 21st and December 4th 2011, using electron beams of 500 MeV on fixed target. Data are being analyzed. The outcome of this experiment will be relevant to the knowledge of the physical process and to the consequent optimization of the telescope design.

- Electronics for Data Acquisition.

A study of the appropriate design for the DAQ electronics has been started. We will adopt use fast analog-to-digital converters with high sampling frequency (100 MHz) and large dynamical range (14 bit) combined with power detectors to enhance the signals which are expected to be very weak.

#### 4. People participating to the project

Name	Position	Affiliation	Months
Lorenzo Perrone (principal investigator)	Researcher	Università degli Studi del Salento	12
Gabriella Cataldi	Researcher	INFN Sezione di Lecce	8
Pietro Creti	Technician	INFN Sezione di Lecce	8
Giovanni Marsella	Researcher	Università degli Studi del Salento	6
Marco Panareo	Associate professor	Università degli Studi del Salento	6
Viviana Scherini	Post-doc	Università degli Studi di Milano	10
Laura Corchia	Student	Università degli Studi del Salento	6
Fabrizio Congedo	Student	Università degli Studi del Salento	6
Rosa De Paolis	Student	Università degli Studi del Salento	6