Performance of GeantinoMap Material Service in MOORE, Rel. 7.0.0

Observations

A. Nairz, CERN

MOORE Phone Conference, March 11, 2004

Before Christmas, Luca showed results of first thorough tests of the geantino-map based material service in MOORE, using Rel. 7.0.0. He found unacceptably large $1/p_{\rm T}$ pulls.

With help by Luca, who has kindly provided me with his kumacs, and after some detailed studies by myself, I think I may have found the reason for those pulls.

The geantino-map based service calls the DetDescr service first to obtain the material for the chambers, and adds then the material from Toroids and Feet. The DetDescr service puts a scatterer at the place of the last measurement hit of each chamber. The geantino-map service places scatterers at last measurement hit of one chamber and the first measurement hit of the next chamber, if there is toroid/feet material in between, assigning half the material and energy loss to the first scatterer, half to the second.

I think there is a MOORE/iPatRec internal problem with this multiple placement of scatterers. The problem appears only in the above scenario, i.e., , "DetDescr+GeantinoMap" material together. I modified the geantinomap service in a way that it only takes into account the Toroid/Feet material, through commenting out the call of DetDescr material; the pulls get much smaller (although they are still too large – but there is the chamber material missing.


I used the following set-up:


- MOORE as in Rel. 7.0.0
- Luca's kumacs
- Alessandro di Mattia's single-muon files dc1.003100.simul.0001.trigger.mu_minus_20.zebra $(p_{\rm T}=20~{\rm GeV})$ dc1.003101.simul.0002.trigger.mu_minus_100.zebra $(p_{\rm T}=100~{\rm GeV})$


The following plots show the $1/p_{\rm T}$ resolutions, error estimates (cov55), and pulls for $p_{\rm T}=20$ GeV and $p_{\rm T}=100$ GeV in the barrel, and for the scenarios "DetDescr material only", "GeantinoMap material only", "DetDescr + GeantinoMap material".

The most striking feature is that the mean error (cov55) decreases when more material is added.


$1/p_{ m T}$ Resolution, $p_{ m T}=20$ GeV, $|\eta|<1$










$1/p_{\mathrm{T}}~\mathrm{Cov}55,\,p_{\mathrm{T}}=20~\mathrm{GeV},\,|\eta|<1$










$1/p_{\mathrm{T}}$ Pull, $p_{\mathrm{T}}=20$ GeV, $|\eta|<1$










$1/p_{\mathrm{T}}$ Resolution, $p_{\mathrm{T}}=100$ GeV, $|\eta|<1$









$1/p_{\mathrm{T}}~\mathrm{Cov}55,\,p_{\mathrm{T}}=100~\mathrm{GeV},\,|\eta|<1$







$1/p_{\mathrm{T}}$ Pull, $p_{\mathrm{T}}=100$ GeV, $|\eta|<1$

